

**EQ PREREQ -1**  
Minimum IAQ Performance

What is the intent of EQ Prerequisite - 1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 001 - FRONT

**EQ PREREQ -1**  
Minimum IAQ Performance

What are the requirements of EQ Prerequisite - 1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 002 - FRONT

**EQ PREREQ -1**  
Minimum IAQ Performance

What are potential technologies & strategies of EQ Prerequisite - 1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 003 - FRONT

**EQ PREREQ -1**  
Minimum IAQ Performance

What standards are referenced in EQ Prerequisite - 1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 004 - FRONT

**EQ PREREQ -2**  
Environmental Tobacco Smoke (ETS) Control

What is the intent of EQ Prerequisite - 2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 005 - FRONT

**EQ PREREQ -2**  
Environmental Tobacco Smoke (ETS) Control

What are the requirements of EQ Prerequisite - 2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 006 - FRONT

**EQ PREREQ -2**  
Environmental Tobacco Smoke (ETS) Control

What are potential technologies & strategies of EQ Prerequisite - 2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 007 - FRONT

**EQ PREREQ -2**  
Environmental Tobacco Smoke (ETS) Control

What standards are referenced in EQ Prerequisite - 2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 008 - FRONT

- Meet the minimum requirements of sections 4 through 7 ASHRAE 62.1-2004, Ventilation for Acceptable Indoor Air Quality. Mechanical ventilation systems shall be designed using the Ventilation Rate Procedure or the applicable local code, whichever is more stringent.
- Naturally ventilated buildings shall comply with ASHRAE 62.1-2004, paragraph 5.1

INDOOR ENVIRONMENTAL QUALITY 002 - REAR

Establish minimum indoor air quality (IAQ) performance to prevent the development of indoor air quality problems in buildings, thus contributing to the comfort and well-being of the occupants.

INDOOR ENVIRONMENTAL QUALITY 001 - REAR

- ASHRAE 62.1-2004: Ventilation for Acceptable Indoor Air Quality

INDOOR ENVIRONMENTAL QUALITY 004 - REAR

Design ventilation systems to meet or exceed the minimum outdoor air ventilation rates as described in the ASHRAE standard. Balance the impacts of ventilation rates on energy use and indoor air quality to optimize for energy efficiency and occupant health. Use ASHRAE 62 Users Manual for detailed guidance on meeting the referenced requirements.

INDOOR ENVIRONMENTAL QUALITY 003 - REAR

**OPTION 1** - No smoking in building. Smoking allowed only in designated area at least 25 feet from entries.  
**OPTION 2** - Allow smoking in designated areas and contain, capture, & exhaust smoke outdoors, Ext. smoking areas must be 25' from entries.  
**OPTION 3** (Residential Buildings Only) - Prohibit smoking in all common areas of building. Ext. smoking areas must be 25' from entries. Limit uncontrolled ETS transfer by sealing penetrations between units. Doors to common hallways must be weaterstripped. Units must have less than 1.25 in<sup>2</sup> of leakage per 100 SF.

INDOOR ENVIRONMENTAL QUALITY 006 - REAR

Minimize exposure of building occupants, indoor surfaces, and ventilation air distribution systems to Environmental Tobacco Smoke (ETS).

INDOOR ENVIRONMENTAL QUALITY 005 - REAR

- ANSI/ASTM E779-03: Standard Test Method for Deterring Air Leakage Rate by Fan Pressurization

INDOOR ENVIRONMENTAL QUALITY 008 - REAR

Prohibit smoking in commercial buildings or effectively control the ventilation air in smoking rooms. For residential buildings, prohibit smoking in common areas, design building envelope and systems to minimize ETS transfer among dwelling units.

INDOOR ENVIRONMENTAL QUALITY 007 - REAR

**EQ CREDIT - 1**  
Outdoor Air Delivery Monitoring

What is the intent of EQ Credit - 1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 009 - FRONT

**EQ CREDIT - 1**  
Outdoor Air Delivery Monitoring

What are the requirements of EQ Credit - 1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 010 - FRONT

**EQ CREDIT - 1**  
Outdoor Air Delivery Monitoring

What are potential technologies & strategies of eq Credit - 1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 011 - FRONT

**EQ CREDIT - 1**  
Outdoor Air Delivery Monitoring

What standards are referenced in EQ Credit - 1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 012 - FRONT

**EQ CREDIT - 2**  
Increased Ventilation

What is the intent of EQ Credit - 2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 013 - FRONT

**EQ CREDIT - 2**  
Increased Ventilation

What are the requirements of EQ Credit - 2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 014 - FRONT

**EQ CREDIT - 2**  
Increased Ventilation

What are potential technologies & strategies of EQ Credit - 2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 015 - FRONT

**EQ CREDIT - 2**  
Increased Ventilation

What standards are referenced in EQ Credit - 2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 016 - FRONT

Requirements:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 010 - REAR

Provide capacity for ventilation system monitoring to help sustain occupant comfort wellbeing.

INDOOR ENVIRONMENTAL QUALITY 009 - REAR

- ASHRAE 62.1-2004: Ventilation for Acceptable Indoor Air Quality

INDOOR ENVIRONMENTAL QUALITY 012 - REAR

Install carbon dioxide and airflow measurement equipment and feed the information to the HVAC system and/or Building Automation System (BAS) to trigger corrective action, if applicable. If such automatic controls are not feasible with the building systems, use the measurement equipment to trigger alarms that inform building operators or occupants of a possible deficiency in outdoor air delivery.

INDOOR ENVIRONMENTAL QUALITY 011 - REAR

Requirements:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 014 - REAR

Provide additional outdoor air ventilation to improve indoor air quality for improved occupant, well-being and productivity.

INDOOR ENVIRONMENTAL QUALITY 013 - REAR

- ASHRAE 62.1-2004: Ventilation for Acceptable Indoor Air Quality
- The Carbon Trust Good Practice Guide 237: Natural Ventilation in Non-Domestic Buildings

INDOOR ENVIRONMENTAL QUALITY 016 - REAR

For mechanically ventilated spaces: Use heat recovery, where appropriate, to minimize the additional energy consumption associated with higher ventilation rates.

For naturally ventilated spaces: Follow the eight design steps as described in the Carbon Trust Good Practice Guide 237

INDOOR ENVIRONMENTAL QUALITY 015 - REAR

**EQ CREDIT - 3.1**

Construction IAQ Management Plan:  
During Construction

What is the intent of EQ Credit - 3.1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 017 - FRONT

**EQ CREDIT - 3.1**

Construction IAQ Management Plan:  
During Construction

What are the requirements of  
EQ Credit - 3.1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 018 - FRONT

**EQ CREDIT - 3.1**

Construction IAQ Management Plan:  
During Construction

What are potential technologies & strategies of  
EQ Credit - 3.1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 019 - FRONT

**EQ CREDIT - 3.1**

Construction IAQ Management Plan:  
During Construction

What standards are referenced in  
EQ Credit - 3.1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 020 - FRONT

**EQ CREDIT - 3.2**

Construction IAQ Management Plan:  
Before Occupancy

What is the intent of EQ Credit - 3.2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 021 - FRONT

**EQ CREDIT - 3.2**

Construction IAQ Management Plan:  
Before Occupancy

What are the requirements of  
EQ Credit - 3.2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 022 - FRONT

**EQ CREDIT - 3.2**

Construction IAQ Management Plan:  
Before Occupancy

What are potential technologies & strategies of  
EQ Credit - 3.2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 023 - FRONT

**EQ CREDIT - 3.2**

Construction IAQ Management Plan:  
Before Occupancy

What standards are referenced in  
EQ Credit - 3.2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 024 - FRONT

Requirements:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 018 - REAR

Reduce indoor air quality problems resulting from the construction/renovation process in order to help sustain the comfort and well-being of construction workers and building occupants.

INDOOR ENVIRONMENTAL QUALITY 017 - REAR

- SMACNA, IAQ Guidelines for Occupied Buildings Under Construction
- ANSI/ASHRAE 52.2-1999 Method of Testing General Ventilation Air-Cleaning Devices for Removal Efficiency by Particle Size

INDOOR ENVIRONMENTAL QUALITY 020 - REAR

Adopt IAQ management plan to protect the HVAC system during construction, control pollutant sources, and interrupt contamination of absorptive materials such as insulation, carpeting, ceiling tile, and gypsum wallboard. Coordinate with EQ Credits 3.2 and 5 to determine the appropriate specifications and schedules for filtration media.

If possible, avoid using permanently installed air handles for temporary heating/cooling during construction.

INDOOR ENVIRONMENTAL QUALITY 019 - REAR

Requirements:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 022 - REAR

Reduce indoor air quality problems resulting from the construction/renovation process in order to help sustain the comfort and well-being of construction workers and building occupants.

INDOOR ENVIRONMENTAL QUALITY 021 - REAR

- SMACNA, IAQ Guidelines for Occupied Buildings Under Construction
- ANSI/ASHRAE 52.2-1999 Method of Testing General Ventilation Air-Cleaning Devices for Removal Efficiency by Particle Size

INDOOR ENVIRONMENTAL QUALITY 024 - REAR

Prior to occupancy, perform a building flush-out or test the air contaminant levels in the building. The flush-out is often used where occupancy is not required immediately upon substantial completion of construction. IAQ testing can minimize schedule impacts, but may be more costly. Coordinate with EQ Credits 3.1 and 5 to determine the appropriate specifications and schedules for filtration media.

INDOOR ENVIRONMENTAL QUALITY 023 - REAR

**EQ CREDIT - 4.1**

Low-Emitting Materials:  
Adhesives & Sealants

What is the intent of EQ Credit - 4.1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 025 - FRONT

**EQ CREDIT - 4.1**

Low-Emitting Materials:  
Adhesives & Sealants

What are the requirements of  
EQ Credit - 4.1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 026 - FRONT

**EQ CREDIT - 4.1**

Low-Emitting Materials:  
Adhesives & Sealants

What are potential technologies & strategies of  
SEQ Credit - 4.1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 027 - FRONT

**EQ CREDIT - 4.1**

Low-Emitting Materials:  
Adhesives & Sealants

What standards are referenced in  
EQ Credit - 4.1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 028 - FRONT

**EQ CREDIT - 4.2**

Low-Emitting Materials:  
Paints & Coating

What is the intent of EQ Credit - 4.2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 029 - FRONT

**EQ CREDIT - 4.2**

Low-Emitting Materials:  
Paints & Coating

What are the requirements of  
EQ Credit - 4.2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 030 - FRONT

**EQ CREDIT - 4.2**

Low-Emitting Materials:  
Paints & Coating

What are potential technologies & strategies of  
EQ Credit - 4.2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 031 - FRONT

**EQ CREDIT - 4.2**

Low-Emitting Materials:  
Paints & Coating

What standards are referenced in  
EQ Credit - 4.2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 032 - FRONT

Requirements:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 026 - REAR

Reduce the quantity of indoor air contaminants that are odorous, irritating and/or harmful to the comfort and well being of installers and occupants.

INDOOR ENVIRONMENTAL QUALITY 025 - REAR

Referenced Standards:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 028 - REAR

Specify low-VOC materials in construction documents. Ensure that VOC limits are clearly stated in each section of the specifications where adhesives and sealants are addressed. Common products to evaluate include: general construction adhesives, flooring adhesives, fire-stopping sealants, caulking, duct sealants, plumbing adhesives, and cove base adhesives.

INDOOR ENVIRONMENTAL QUALITY 027 - REAR

Requirements:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 030 - REAR

Reduce the quantity of indoor air contaminants that are odorous, irritating and/or harmful to the comfort and well being of installers and occupants.

INDOOR ENVIRONMENTAL QUALITY 029 - REAR

Referenced Standards:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 032 - REAR

Specify low-VOC paints and coatings in construction documents. Ensure that VOC limits are clearly stated in each section of the specifications where paints and coatings are addressed. Track the VOC content of all interior paints and coatings during construction.

INDOOR ENVIRONMENTAL QUALITY 031 - REAR

**EQ CREDIT - 4.3**  
Low-Emitting Materials:  
Carpet Systems

What is the intent of EQ Credit - 4.3?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 033 - FRONT

**EQ CREDIT - 4.3**  
Low-Emitting Materials:  
Carpet Systems

What are the requirements of  
EQ Credit - 4.3?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 034 - FRONT

**EQ CREDIT - 4.3**  
Low-Emitting Materials:  
Carpet Systems

What are potential technologies & strategies  
of EQ Credit - 4.3?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 035 - FRONT

**EQ CREDIT - 4.3**  
Low-Emitting Materials:  
Carpet Systems

What standards are referenced in  
EQ Credit - 4.3?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 036 - FRONT

**EQ CREDIT - 4.4**  
Low-Emitting Materials:  
Composite Wood & Agrifiber Products

What is the intent of EQ Credit - 4.4?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 037 - FRONT

**EQ CREDIT - 4.4**  
Low-Emitting Materials:  
Composite Wood & Agrifiber Products

What are the requirements of  
EQ Credit - 4.4?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 038 - FRONT

**EQ CREDIT - 4.4**  
Low-Emitting Materials:  
Composite Wood & Agrifiber Products

What are potential technologies & strategies of  
EQ Credit - 4.4?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 039 - FRONT

**EQ CREDIT - 4.4**  
Low-Emitting Materials:  
Composite Wood & Agrifiber Products

What standards are referenced in  
EQ Credit - 4.4?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 040 - FRONT

Requirements:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 034 - REAR

Reduce the quantity of indoor air contaminants that are odorous, irritating and/or harmful to the comfort and well being of installers and occupants.

INDOOR ENVIRONMENTAL QUALITY 033 - REAR

Referenced Standards:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 036 - REAR

Clearly specify requirements for product testing and/or certification in the construction documents. Select products that are either certified under the Green Label Plus program or for which testing has been done by qualified independent laboratories in accordance with the appropriate requirements.

INDOOR ENVIRONMENTAL QUALITY 035 - REAR

Requirements:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 038 - REAR

Reduce the quantity of indoor air contaminants that are odorous, irritating and/or harmful to the comfort and well being of installers and occupants.

INDOOR ENVIRONMENTAL QUALITY 037 - REAR

Referenced Standards:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 040 - REAR

Specify wood and agrifiber products that contain no added urea-formaldehyde resins. Specify laminating adhesives for field and shop applied assemblies that contain no added urea-formaldehyde resins.

INDOOR ENVIRONMENTAL QUALITY 039 - REAR

**EQ CREDIT - 5**

Indoor Chemical & Pollutant Source Control

What is the intent of EQ Credit - 5?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 041 - FRONT

**EQ CREDIT - 5**

Indoor Chemical & Pollutant Source Control

What are the requirements of EQ Credit - 5?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 042 - FRONT

**EQ CREDIT - 5**

Indoor Chemical & Pollutant Source Control

What are potential technologies & strategies of EQ Credit - 5?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 043 - FRONT

**EQ CREDIT - 5**

Indoor Chemical & Pollutant Source Control

What standards are referenced in EQ Credit - 5?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 044 - FRONT

**EQ CREDIT - 6.1**

Controllability of Systems:  
Lighting

What is the intent of EQ Credit - 6.1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 045 - FRONT

**EQ CREDIT - 6.1**

Controllability of Systems:  
Lighting

What are the requirements of EQ Credit - 6.1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 046 - FRONT

**EQ CREDIT - 6.1**

Controllability of Systems:  
Lighting

What are potential technologies & strategies of EQ Credit - 6.1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 047 - FRONT

**EQ CREDIT - 6.1**

Controllability of Systems:  
Lighting

What standards are referenced in EQ Credit - 6.1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 048 - FRONT

Requirements:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 042 - REAR

Minimize exposure of building occupants to potentially hazardous particulates and chemical pollutants.

INDOOR ENVIRONMENTAL QUALITY 041 - REAR

- ANSI/ASHRAE 52.2-1999 Method of Testing General Ventilation Air-Cleaning Devices for Removal Efficiency by Particle Size

INDOOR ENVIRONMENTAL QUALITY 044 - REAR

Design facility cleaning and maintenance areas with isolated exhaust systems for contaminants. Maintain physical isolation from the rest of the regularly occupied areas of the building. Install permanent architectural entryway systems such as grilles or grates to prevent occupant-borne contaminants from entering the building. Install high-level filtration systems in air handling units processing both return air and outside supply air. Ensure that air handling units can accommodate required filter sizes and pressure drops.

INDOOR ENVIRONMENTAL QUALITY 043 - REAR

Requirements:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 046 - REAR

Provide a high level of thermal comfort system control by individual occupants or by specific groups in multi-occupant spaces (i.e. classrooms or conference areas) to promote the productivity, comfort and well-being of building occupants.

INDOOR ENVIRONMENTAL QUALITY 045 - REAR

- ASHRAE 62.1-2004: Ventilation for Acceptable Indoor Air Quality
- ASHRAE 55-2004: Thermal Environmental Conditions for Human Occupancy
- ASHRAE/IESNA 90.1-2004: Energy Standard for Buildings Except Low-Rise Residential (task Lighting)

INDOOR ENVIRONMENTAL QUALITY 048 - REAR

Design the building with occupant controls for lighting. Strategies to consider include lighting controls and task lighting. Integrate lighting systems controllability into the overall lighting design, providing ambient and task lighting while managing the overall energy use of the building.

INDOOR ENVIRONMENTAL QUALITY 047 - REAR

**EQ CREDIT - 6.2**

Controllability of Systems:  
Thermal Comfort

What is the intent of EQ Credit - 6.2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 049 - FRONT

**EQ CREDIT - 6.2**

Controllability of Systems:  
Thermal Comfort

What are the requirements of  
EQ Credit - 6.2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 050 - FRONT

**EQ CREDIT - 6.2**

Controllability of Systems:  
Thermal Comfort

What are potential technologies & strategies of  
EQ Credit - 6.2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 051 - FRONT

**EQ CREDIT - 6.2**

Controllability of Systems:  
Thermal Comfort

What standards are referenced in  
EQ Credit - 6.2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 052 - FRONT

**EQ CREDIT - 7.1**

Thermal Comfort:  
Design

What is the intent of EQ Credit - 7.1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 053 - FRONT

**EQ CREDIT - 7.1**

Thermal Comfort:  
Design

What are the requirements of  
EQ Credit - 7.1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 054 - FRONT

**EQ CREDIT - 7.1**

Thermal Comfort:  
Design

What are potential technologies & strategies of  
EQ Credit - 7.1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 055 - FRONT

**EQ CREDIT - 7.1**

Thermal Comfort:  
Design

What standards are referenced in  
EQ Credit - 7.1?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 056 - FRONT

Requirements:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 050 - REAR

Provide a high level of lighting system control by individual occupants or by specific groups in multi-occupant spaces (i.e. classrooms or conference areas) to promote the productivity, comfort and well-being of building occupants.

INDOOR ENVIRONMENTAL QUALITY 049 - REAR

- ASHRAE 62.1-2004: Ventilation for Acceptable Indoor Air Quality
- ASHRAE 55-2004: Thermal Environmental Conditions for Human Occupancy
- ASHRAE/IESNA 90.1-2004: Energy Standard for Buildings Except Low-Rise Residential (task Lighting)

INDOOR ENVIRONMENTAL QUALITY 052 - REAR

Design the building and systems with controls to allow adjustments to suit individual needs or those of groups in shared spaces. Control strategies can be developed to expand on the comfort criteria to allow adjustments to suit individual needs and preferences. These may involve operable windows, hybrid systems integrating operable windows and mech systems. Individual adjustments may involve thermostat controls, local diffusers, control of radiant panels, or similar.

INDOOR ENVIRONMENTAL QUALITY 051 - REAR

Requirements:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 054 - REAR

Provide a comfortable thermal environment that supports the productivity and well being of building occupants.

INDOOR ENVIRONMENTAL QUALITY 053 - REAR

- ASHRAE 55-2004: Thermal Environmental Conditions for Human Occupancy

INDOOR ENVIRONMENTAL QUALITY 056 - REAR

Establish comfort criteria per ASHRAE Standard 55-2004 that support the desired quality and occupant satisfaction with building performance. Design building envelope and systems with the capacity to deliver performance to the comfort criteria under expected environmental and use conditions. Evaluate air temperature, radiant temperature, air speed, and relative humidity in an integrated fashion and coordinate these with EQ PREREQ 1 and Credits 1 and 2.

INDOOR ENVIRONMENTAL QUALITY 055 - REAR

**EQ CREDIT - 7.2**

Thermal Comfort:  
Verification

What is the intent of EQ Credit - 7.2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 057 - FRONT

**EQ CREDIT - 7.2**

Thermal Comfort:  
Verification

What are the requirements of  
EQ Credit - 7.2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 058 - FRONT

**EQ CREDIT - 7.2**

Thermal Comfort:  
Verification

What are potential technologies & strategies of  
EQ Credit - 7.2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 059 - FRONT

**EQ CREDIT - 7.2**

Thermal Comfort:  
Verification

What standards are referenced in  
EQ Credit - 7.2?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 060 - FRONT

**EQ CREDIT - 8.1**

Daylight & Views:  
Daylight 75% of Spaces

What is the intent of EQ Credit - 8?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 061 - FRONT

**EQ CREDIT - 8.1**

Daylight & Views:  
Daylight 75% of Spaces

What are the requirements of  
EQ Credit - 8?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 062 - FRONT

**EQ CREDIT - 8.1**

Daylight & Views:  
Daylight 75% of Spaces

What are potential technologies & strategies of  
EQ Credit - 8?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 063 - FRONT

**EQ CREDIT - 8.1**

Daylight & Views:  
Daylight 75% of Spaces

What standards are referenced in  
EQ Credit - 8?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 064 - FRONT

Requirements:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 058 - REAR

Provide for the assessment of building thermal comfort over time.

INDOOR ENVIRONMENTAL QUALITY 057 - REAR

- ASHRAE 55-2004: Thermal Environmental Conditions for Human Occupancy

INDOOR ENVIRONMENTAL QUALITY 060 - REAR

ASHRAE Standard 55-2004 provides guidance for establishing thermal comfort criteria and the documentation and validation of building performance to the criteria. While the standard is not intended for purposes of continuous monitoring and maintenance of the thermal environment, the principles expressed in the standard provide a basis for design of monitoring and corrective action systems.

INDOOR ENVIRONMENTAL QUALITY 059 - REAR

Requirements:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 062 - REAR

Provide for the building occupants a connection between indoor spaces and the outdoors through the introduction of daylight and views into the regularly occupied areas of the building.

INDOOR ENVIRONMENTAL QUALITY 061 - REAR

There is no standard referenced for this credit

INDOOR ENVIRONMENTAL QUALITY 064 - REAR

Design the building to maximize interior daylighting. Strategies to consider include building orientation, shallow floor plates, increased building perimeter, exterior and interior permanent shading devices, high performance glazing and photo-integrated light sensors. Predict daylighting via calculations or model daylighting strategies with a physical or computer model to assess footcandle levels and daylight factors achieved.

INDOOR ENVIRONMENTAL QUALITY 063 - REAR

**EQ CREDIT - 8.2**

Daylight & Views:  
Daylight 90% of Spaces

What is the intent of EQ Credit - 8?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 065 - FRONT

**EQ CREDIT - 8.2**

Daylight & Views:  
Daylight 90% of Spaces

What are the requirements of  
EQ Credit - 8?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 066 - FRONT

**EQ CREDIT - 8.2**

Daylight & Views:  
Daylight 90% of Spaces

What are potential technologies & strategies of  
EQ Credit - 8?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 067 - FRONT

**EQ CREDIT - 8.2**

Daylight & Views:  
Daylight 90% of Spaces

What standards are referenced in  
EQ Credit - 8?

[www.LEEDeducation.com](http://www.LEEDeducation.com)

INDOOR ENVIRONMENTAL QUALITY 068 - FRONT

Requirements:  
Coming soon!!

INDOOR ENVIRONMENTAL QUALITY 066 - REAR

Provide for the building occupants a connection between indoor spaces and the outdoors through the introduction of daylight and views into the regularly occupied areas of the building.

INDOOR ENVIRONMENTAL QUALITY 065 - REAR

There is no standard referenced for this credit

INDOOR ENVIRONMENTAL QUALITY 068 - REAR

Design the space to maximize daylighting and view opportunities. Strategies to consider include lower partition heights, interior shading devices, interior glazing, and automatic photocell-based controls.

INDOOR ENVIRONMENTAL QUALITY 067 - REAR